

## LP45F700MINI

### UHF Aerials

Log-periodic MINI pre-assembled aerials for UHF band characterized by extremely easy connection due to the F connector being located near the mast clamp.

### Technical Chars

- Thanks to the special pole mount, the aerial can be installed in both vertical and horizontal **polarisation without adaptors** or other accessories.
- **The geometric distribution of the dipoles** has been **redesigned** to achieve excellent filtering for interfering signals in the 5G and 4G LTE band above 694 MHz reserved for mobile telephony.
- It features excellent mechanical resistance for fixing the elements to the cradle, excellent mechanical resistance to rotation on the pole, and good electrical performance.
- The F connector is protected by a bayonet connector cover.
- **Black colour** aerial.

LP45F700MINI		
Code		216256
Elements		10+10
Band		UHF
Channel		E21-E48
Bandwidth	MHz	470-694
Gain	dBi	9
Front/Back ratio	dB	30
Return loss	dB	-15
Beam width (3dB)	°	±30
Wind load 120Km/h 729N/m <sup>2</sup>	Kg (N)	2.7 (26.5)
Connector		F
Impedence	Ohm	75
Max mast diameter	mm	60
Dimensions	cm	44 x 36
Accessories		
Horizontal polarization		Included
Horizontal polarization tilt adjustment		PV10 (210011)
Vertical polarization		Included
Vertical polarization tilt adjustment		PV10 (210011)
Auxiliary boom		-
Dimensions and packaging		
Pieces		30
EAN code		8016978104093

Multiple EAN		8016978104277
Unit weight	Kg	0.50
Total weight	Kg	15.0

## Gain (x: MHz frequency, y: ISO dBi gain) and Polar diagram (@600MHz)

