

## RKP42U88DCPRO

## Rack PRO



The 19" 800x1000 42U SERVER rack cabinet, due to its stability and load capacity, is designed for server rooms and the installation of multiple telecommunications, IT and audio/video equipment.

Its dimensions allow the adoption of vertical channels, for easy management of patch cords and optical patch cords, both front and back working, and the installation of racks up to 800 mm deep.

The fully demountable and easy to re-assemble structure makes it ideal in the presence of architectural barriers. The cabinet is delivered assembled.



## Technical Chars

- Steel frame
- 4 adjustable uprights
- Grilled front door
- Removable side and rear panels
- Pre-arrangement on roof for installation of ventilation system
- Provision for cable access from below and above
- Adjustable feet

| RKP42U88DCPRO           |    |                                                                     |
|-------------------------|----|---------------------------------------------------------------------|
| Code                    |    | 287883                                                              |
| Specifications          |    |                                                                     |
| Unit                    |    | 42                                                                  |
| Product dimensions      | mm | 800x800x1986                                                        |
| Net Weight              | kg | 99.5                                                                |
| Load capacity           | kg | 1000                                                                |
| Base and roof structure |    |                                                                     |
| Material                |    | Sheet steel                                                         |
| Thickness               | mm | 15/10                                                               |
| Predisposition          |    | Pre-cut base for cable entry and roof for cooling fan installation. |
| External uprights       |    |                                                                     |
| Material                |    | Sheet steel                                                         |
| Quantity                |    | 4                                                                   |
| Thickness               | mm | 16/10                                                               |

| Side panels          |    |                                           |
|----------------------|----|-------------------------------------------|
| Typology             |    | Removable with quick release 1/4 turn key |
| Quantity             |    | 2                                         |
| Thickness            | mm | 10/10                                     |
| Rear panel           |    |                                           |
| Typology             |    | Removable with quick release 1/4 turn key |
| Thickness            | mm | 10/10                                     |
| Front door           |    |                                           |
| Typology             |    | Grill                                     |
| Handle               |    | Ergonomic retractable with key            |
| Opening angle        | °  | 110                                       |
| Internal uprights    |    |                                           |
| Typology             |    | Depth adjustable                          |
| Quantity             |    | 4                                         |
| Material             |    | Galvanised steel                          |
| Thickness            | mm | 16/10                                     |
| Floor supports       |    |                                           |
| Typology             |    | Adjustable feet                           |
| Quantity             |    | 4                                         |
| Varnishing- rack     |    |                                           |
| Typology             |    | Epoxy-polyester                           |
| RAL                  |    | 9005                                      |
| Colour               |    | Black                                     |
| Packaging            |    |                                           |
| Pieces               |    | 1                                         |
| Packaging dimensions | mm | 800x800x1986                              |

## Rack cabinet details

